

37260 Sand Burr Lane
Prairie du Chien, WI 53821-8869
(608) 326-6346 Office
(608) 326-8061 Fax

.....

Chrysler Registry

October 28, 2004

Dear Chrysler Enthusiast,

As of the above date, all of the following information is accurate to my knowledge.
1969 DODGE Dart GTS 440 VIN **LS23M9B295068** is now in the Chrysler Registry.


There were **640** - 1969 DODGE Dart GTS 440's built. All were Automatics. Canadian & Export figures are included in amount above.

VEHICLES REGISTERED WITH THE CHRYSLER REGISTRY

As of the above date, it is **# 57 of 95** in VIN sequence of all 1969 DODGE Dart GTS 440's accounted for at the Hamtramck, MI plant and built to spec's for: **the U.S.A.**

The 1969 DODGE Dart GTS 440's was only built at the Hamtramck, MI plant. All 1969 DODGE Dart GTS 440's were Scheduled to be built between December 01, 1968 and April 27, 1969. The actual build date of your Dart GTS 440 is on or about **Feb 14, 1969**. Your E-Series 440 engine should be stamped within 18 days before (or after this date).

If there is anything else I can do for you, do not hesitate to call or write.



Galen V. Govier

Registered
095 - Dart GTS 440 Hardtops

GVG/gg

This document does not automatically mean that I have inspected the vehicle, or that I am stating it is an all numbers matching vehicle.

.....

Keep the Faith

1969 DODGE Dart GT Sport 2 Door Hardtop

<p>1 Broadcast Copy: Station #-Hamtramck 139265 Sequence Number: Broadcast Print 214 Friday February 14, 1969 Scheduled Production Date 901129 Vehicle Order Number SPECIAL ORDER-GTS 440 LS Car Line: DODGE Dart GT Sport 23 Body Type: 2 Door Hardtop M Engine: Special Order V8 9 Model Year: 1969 E-SERIES B Assembly Plant: Hamtramck, MI 295068 Assembly Plant Sequential Number STD Built to Spec's for: U.S.A. Order STD Order Type: Dealer Stock Order Y39 Special Order E63 Engine: 383 1-4BBL 330hp V8 D32 Transmission: A727 Torqueflite Auto. D56 Axle Ratio: 3.55 w/8.75" DIA. D91 Sure-Grip Differential T73 Tires: E70x14" Red Streak P Trim Grade: Premium 6 Front Seat: Vinyl Buckets X Interior: Black X9 Upper Door Frame Color: Black V01 Paint Style: Mono-Tone W1 Roof Paint: White W1 Body Paint: White V8X Stripe: Black Transverse Sport 44 A-Body Floor Shift M/Steering X9 Steering Column: Black 11 T/Signal Lever: Standard 12 X9 Steering Wheel Type/Color: 3-Spoke w/Lower Horn Ring/Black 2949065 Radiator Width: 22" 383 V8 Radiator Yoke - Std 2863209 Radiator Inlet Hose: 22" 383+440 V8 2863243 Radiator Outlet Hose: Std 383+440 V8 2863213 Engine Fan: 7-Blade 1851960 Fan Spacer: .70" Length 2875320 Battery Amp/Series: 59/24 YELLOW CAPS 1859127 Vac. Fitting: Intake "Plug" 896 Engine Assy.: 383-4bbl w/A.T. & Htr 2946595 Carb.: Carter AVS 4bbl #4682S AUTO 2863245 Choke: Carter AVS 4bbl 2892091 Trans.: A727A Torqueflite 383 V8 2538937 Speedo. Pinion 37 Teeth/White 2852228 Prop/Shaft: #7290/3.25" x 47.81" 2931567 Axle Assy: 3.55:1 S/G 8.75"-10" Drums 12 Road Wheels: 14x5.5" HD Stamped W1 Wheel Color: White ALL 5 2944089 Wh/Covers: Hubcaps RED STRIPE 08 Frame: A-Body 383 V8 AUTO 2535534 Ft. Sway Bar: .92" Diameter 2539895 Lt. Torsion Bar: .89" x 35.8" 2539894 Rt. Torsion Bar: .89" x 35.8" 2835056 Lt. Rear Spring: EX H.D. 6 LEAF 2835056 Rt. Rear Spring: EX H.D. 6 LEAF 2269947 Ft. Shocks: Firm Ride 2539001 Rr. Shocks: Firm Ride EARLY 12 Front Brake: HD Drum 15 7 Cl/Brake Pedal: A-Body, D32. 2899842 Idle Label: 650RPM in Neut. 5° BTC 3400485 Tire Label: E70-14" MTS 4-Ply Rating 09 09:00AM Broadcast Print Hour 69 #69 Broadcast Print Seq/Hour</p>	<p>NO Light Package NO Dart Basic Group NO Dart Protection Group STD Engine Conversion Pkg - 440 4BBL NO Dart Trailer Towing Package NO Spring Special NO Western Sport Special B11 Front/Rear Brakes: 10" Drum NO Power Brakes C16 Console C23 Rear Armrests NO Head Rests: LH/RH C55 Front Seat: Buckets C93 Carpets NO Accessory Floor Mats STD Alternator: 37 Amp MONO PULLEY F23 Battery: 59 Amp YELLOW CAPS NO Anti-Freeze -35 Protection STD Glass: All Clear STD Mirror: Outside LH Manual Chrome NO Mirror: Outside RH Manual Chrome H11 Heater: Front w/Defroster NO Defogger: Rear Window-Blower J11 Glove Box Lock J15 Cigar Lighter J31 Horn: Dual NO Pedals Dress Up NO Undercoating w/ Hood Insulation Pad NO Instrument Panel Woodgrain NO Light: Map/Courtesy NO Light: Glove Box NO Light: Ash Receiver NO Light: Trunk NO Light: Fender Turn Indicator NO H.D. Stop Lamp Switch NO Variable Load T/Signal Flasher NO Light: Ign. Switch w/Time Delay NO Light: Headlamp-On Signal NO Mouldings: Door Edge M21 Mouldings: Drip Rail M25 Mouldings: Body Sill M26 Mouldings: Wheel Lip NO Mouldings: Body Belt NO Mouldings: Body Side NO Bumper Guards: Ft/Rr NO Engine Block Heater STD Dual Exhaust System STD Chrome Exhaust Tips NO Max Cooling Pkg. NO Torque Drive Fan NO Maximum Cooling Pkg NO Tachometer NO Power Convertible Top NO Radio NO Rear Seat Speaker: Mono NO Antenna: Telescopic S13 Suspension: Rallye w/Ft. Sway Bar S25 Shocks: Firm Ride-Ft/Rr NO Power Steering S79 Horn Ring: Lower ¼ STD Stamped Steel Wheels STD Wh/Covers: Hubcaps</p>
---	---

REMARKS: 17 SPECIAL ORDER
Designates Special Order Engine.

Decoded for: Ronald E. Collins
515 E. Carefree Hwy #554
Phoenix, AZ 85085

Decoded by: Galen V. Govier
37260 Sand Burr Lane
Prairie du Chien, WI 53821-8869

1969 DODGE Dart GT Sport 2 Door Hardtop

<p>1 Broadcast Copy: Station #-Hamtramck 139265 Sequence Number: Broadcast Print 214 Friday February 14, 1969 Scheduled Production Date 901129 Vehicle Order Number SPECIAL ORDER-GTS 440 LS Car Line: DODGE Dart GT Sport 23 Body Type: 2 Door Hardtop M Engine: Special Order V8 9 Model Year: 1969 E-SERIES B Assembly Plant: Hamtramck, MI 295068 Assembly Plant Sequential Number STD Built to Spec's for: U.S.A. Order STD Order Type: Dealer Stock Order Y39 Special Order E63 Engine: 383 1-4BBL 330hp V8 D32 Transmission: A727 Torqueflite Auto. D56 Axle Ratio: 3.55 w/8.75" DIA. D91 Sure-Grip Differential T73 Tires: E70x14" Red Streak P Trim Grade: Premium 6 Front Seat: Vinyl Buckets X Interior: Black X9 Upper Door Frame Color: Black V01 Paint Style: Mono-Tone W1 Roof Paint: White W1 Body Paint: White V8X Stripe: Black Transverse Sport 44 A-Body Floor Shift M/Steering X9 Steering Column: Black 11 T/Signal Lever: Standard 12 X9 Steering Wheel Type/Color: 3-Spoke w/Lower Horn Ring/Black 2949065 Radiator Width: 22" 383 v8 Radiator Yoke - Std 2863209 Radiator Inlet Hose: 22" 383+440 V8 2863243 Radiator Outlet Hose: Std 383+440 V8 2863213 Engine Fan: 7-Blade 1851960 Fan Spacer: .70" Length 2875320 Battery Amp/Series: 59/24 YELLOW CAPS 1859127 Vac. Fitting: Intake "Plug" 896 Engine Assy.: 383-4bbl w/A.T. & Htr 2946595 Carb.: Carter AVS 4bbl #4682S AUTO 2863245 Choke: Carter AVS 4bbl 2892091 Trans.: A727A Torqueflite 383 V8 2538937 Speedo. Pinion 37 Teeth/White 2852228 Prop/Shaft: #7290/3.25" x 47.81" 2931567 Axle Assy: 3.55:1 S/G 8.75"-10" Drums 12 Road Wheels: 14x5.5" HD Stamped W1 Wheel Color: White ALL 5 2944089 Wh/Covers: Hubcaps RED STRIPE 08 Frame: A-Body 383 V8 AUTO 2535534 Ft. Sway Bar: .92" Diameter 2539895 Lt. Torsion Bar: .89" x 35.8" 2539894 Rt. Torsion Bar: .89" x 35.8" 2835056 Lt. Rear Spring: EX H.D. 6 LEAF 2835056 Rt. Rear Spring: EX H.D. 6 LEAF 2269947 Ft. Shocks: Firm Ride 2539001 Rr. Shocks: Firm Ride EARLY 12 Front Brake: HD Drum 15 7 Cl/Brake Pedal: A-Body, D32. 2899842 Idle Label: 650RPM in Neut. 5° BTC 3400485 Tire Label: E70-14" MTS 4-Ply Rating 09 09:00AM Broadcast Print Hour 69 #69 Broadcast Print Seq/Hour</p>	<p>NO Light Package NO Dart Basic Group NO Dart Protection Group STD Engine Conversion Pkg - 440 4BBL NO Dart Trailer Towing Package NO Spring Special NO Western Sport Special B11 Front/Rear Brakes: 10" Drum NO Power Brakes C16 Console C23 Rear Armrests NO Head Rests: LH/RH C55 Front Seat: Buckets C93 Carpets NO Accessory Floor Mats STD Alternator: 37 Amp MONO PULLEY F23 Battery: 59 Amp YELLOW CAPS NO Anti-Freeze -35 Protection STD Glass: All Clear STD Mirror: Outside LH Manual Chrome NO Mirror: Outside RH Manual Chrome H11 Heater: Front w/Defroster NO Defogger: Rear Window-Blower J11 Glove Box Lock J15 Cigar Lighter J31 Horn: Dual NO Pedals Dress Up NO Undercoating w/ Hood Insulation Pad NO Instrument Panel Woodgrain NO Light: Map/Courtesy NO Light: Glove Box NO Light: Ash Receiver NO Light: Trunk NO Light: Fender Turn Indicator NO H.D. Stop Lamp Switch NO Variable Load T/Signal Flasher NO Light: Ign. Switch w/Time Delay NO Light: Headlamp-On Signal NO Mouldings: Door Edge M21 Mouldings: Drip Rail M25 Mouldings: Body Sill M26 Mouldings: Wheel Lip NO Mouldings: Body Belt NO Mouldings: Body Side NO Bumper Guards: Ft/Rr NO Engine Block Heater STD Dual Exhaust System STD Chrome Exhaust Tips NO Max Cooling Pkg. NO Torque Drive Fan NO Maximum Cooling Pkg NO Tachometer NO Power Convertible Top NO Radio NO Rear Seat Speaker: Mono NO Antenna: Telescopic S13 Suspension: Rallye w/Ft. Sway Bar S25 Shocks: Firm Ride-Ft/Rr NO Power Steering S79 Horn Ring: Lower ¼ STD Stamped Steel Wheels STD Wh/Covers: Hubcaps</p>
---	---

REMARKS: 17 SPECIAL ORDER
Designates Special Order Engine.

Decoded for:
Ronald E. Collins
515 E. Carefree Hwy #554
Phoenix, AZ 85085

Decoded by:
Galen V. Govier
37260 Sand Burr Lane
Prairie du Chien, WI 53821-8869

1969 DODGE Dart GT Sport 2 Door Hardtop

```
+ +  
END  
C16 C55 M21 M25 V8X Y39  
W1 W1 P6X X9 214 901129  
E63 D32 LS23 M9B 295068
```

The Fender Tag is read from Left to Right, and from Bottom to Top

E63 Engine: 383 1-4bbl 330hp V8 383 *FOUR BARREL*
D32 Transmission: A727 Torqueflite Automatic
LS Car Line: DODGE Dart GTS
23 Body Type: 2 Door Hardtop
M Engine: 440 1-4bbl 375hp V8 440 *FOUR BARREL*
9 Model Year: 1969 *E-SERIES*
B Assembly Plant: Hamtramck, MI
295068 Assembly Plant Sequential Number

W1 Roof Paint: White
W1 Body Paint: White
P Trim Grade: Premium
6 Front Seat: Vinyl Buckets
X Interior: Black
X9 Upper Door Frame Color: Black
214 Scheduled Production Date: Friday February 14, 1969
901129 Vehicle Order Number *SPECIAL ORDER-GTS 440*

C16 Woodgrain Console
C55 Front Seat: Buckets
M21 Mouldings: Drip Rail
M25 Mouldings: Body Sill
V8X Stripe: Black Transverse Sport *TAPE*
Y39 Special Order
END End of Fender Tag Codes

Decoded for: **Ronald E. Collins**
515 E. Carefree Hwy #554
Phoenix, AZ 85085

Decoded by: **Galen V. Govier**
37260 Sand Burr Lane
Prairie du Chien, WI 53821-8869

Note: A decoding of a fender tag or broadcast sheet by GTS/Galen Govier does not automatically mean that it is an all numbers matching vehicle. For that reason, unless this decoding is in addition to an Appraisal, Visual Inspection or Validation I will not guarantee it has all the factory installed equipment on the vehicle.

Thank You

October 27, 2004

END
C16 C55 M21 M25 V8X Y39
W1 W1 P6X X9 214 901129
E63 D32 LS23 M9B 295068

The Fender Tag is read from Left to Right, and from Bottom to Top

E63 Engine: 383 1-4bbl 330hp V8 383 FOUR BARREL
D32 Transmission: A727 Torqueflite Automatic
LS Car Line: DODGE Dart GTS
23 Body Type: 2 Door Hardtop
M Engine: 440 1-4bbl 375hp V8 440 FOUR BARREL
9 Model Year: 1969 E-SERIES
B Assembly Plant: Hamtramck, MI
295068 Assembly Plant Sequential Number

W1 Roof Paint: White
W1 Body Paint: White
P Trim Grade: Premium
6 Front Seat: Vinyl Buckets
X Interior: Black
X9 Upper Door Frame Color: Black
214 Scheduled Production Date: Friday February 14, 1969
901129 Vehicle Order Number SPECIAL ORDER-GTS 440

C16 Woodgrain Console
C55 Front Seat: Buckets
M21 Mouldings: Drip Rail
M25 Mouldings: Body Sill
V8X Stripe: Black Transverse Sport TAPE
Y39 Special Order
END End of Fender Tag Codes

Decoded for: **Ronald E. Collins**
515 E. Carefree Hwy #554
Phoenix, AZ 85085

Decoded by: **Galen V. Govier**
37260 Sand Burr Lane
Prairie du Chien, WI 53821-8869

Note: A decoding of a fender tag or broadcast sheet by GTS/Galen Govier does not automatically mean that it is an all numbers matching vehicle. For that reason, unless this decoding is in addition to an Appraisal, Visual Inspection or Validation I will not guarantee it has all the factory installed equipment on the vehicle.

Thank You

October 27, 2004

E Series 1969 Basic Car Prices

LS23	DODGE DART GTS -8- 2 DOOR HARDTOP	EARLY 1969	\$ 3,209.00
LS23	DODGE DART GTS -8- 2 DOOR HARDTOP	LATE 1969	\$ 3,226.00

THE FOLLOWING ITEMS OF STANDARD EQUIPMENT ON THIS MODEL ARE EXTRA COST ON SOME OTHER MODELS OF THIS CARLINE-

VINYL TRIM, CIGAR LIGHTER, DUAL HORNS, CARPETS, BUCKET SEATS, FRONT AIR FOAM SEAT CUSHION, GLOVE BOX LOCK, HEAVY DUTY REAR SPRINGS, HEAVY DUTY TORSION BARS, FRONT SWAY BAR, SHOCK ABSORBERS-FIRM RIDE TORQUEFLITE TRANSMISSION, 340 4BBL ENGINE, BUMBLEBEE STRIPE, RED STREAK TIRES, SILL MOULDING.

(LATE 1969 includes: Head Rests-After January 1, 1969)

SHIPPING WEIGHT: 3135#

WHEELBASE: 111.0"

FUEL TANK CAPACITY: 18 Gallons.

E Series 1969 Accessory Group

A13 ENGINE CONVERSION PACKAGE 440 4bbl: 1969 LS23M

B11 HD Drum Brakes-Ft & Rr,

C16 Console,

C55 Bucket Seats,

D32 Torqueflite Automatic Transmission,

D56 3.55:1 Ratio w/8.75" HD Axle, 3.91 RATIO OPTIONAL

D91 Sure Grip Differential,

E86 440 1-4bbl 375hp V8 Engine,

S13 Rallye Suspension w/Front Sway Bar,

S25 Firm Ride Shock Absorbers,

T73 E70 x 14" Red Streak Tires,

W25 14 x 5.5" HD Wheels,

Y39 Special Order,

Dual Exhaust System,

Chrome Exhaust Tips,

N/A Convertible, 3-Spd Trans., Trailer Towing Pkg.

Optional on Dart GT Sport.

STD HORIZONTAL INSTRUMENT CLUSTER 1969 LS23M

Parking Brake Warning Light,

Fuel Gauge,

Temperature Gauge,

120 MPH Speedometer,

Alternator Gauge,

Oil Lite,

Standard on all Dart Models.

B11 HD DRUM BRAKES 1969 LS23M

10x2.25"-Drum Brakes-Front,

10x1.75"-Drum Brakes-Rear,

Eff. lining area: 156.2 sq. in.

B51 Power Brakes Optional.

Standard on Dart GT Sport.

CONTINUED

D56	STANDARD GEAR RATIO	1969 LS23M	
D56	3.55:1 Gear Ratio w/8.75" Axle,		
D91	Sure Grip Differential,		
N45	Intermediate Cooling Package-less fan,		
	Includes 22" Width Radiator w/Fan Shroud	383/440	2949065
	<i>Standard w/440 Engine.</i>		
D32	TORQUEFLITE AUTOMATIC TRANSMISSION	1969 LS23M	
D56	3.55:1 Gear Ratio 8.75" Axle (Std w/A13 PKG)		742 CASE
D57	3.91:1 Gear Ratio 8.75" Axle (Opt w/A13 PKG)		742 CASE
	A727 Torqueflite Automatic Transmission		
	-PN: 2892093 440-4BBL 375hp	A-BODY	
	2.45 low gear		
	Floor Shift with Woodgrain Knob and Console,		
	Floor Shift with Chrome Knob and Console,		EARLY MODELS
	<i>Standard on Dart GT Sport.</i>		
E86	440 MAGNUM ENGINE:	1969 LS23M	
	A-134 PACKAGE		
D32	Torqueflite Automatic Trans w/3.23:1 Ratio Std HD 8.75" Axle-Std,		
D91	Sure Grip Differential <i>OPTIONAL</i>		
STD	Voltage Regulator		2098300
F23	59 amp Battery, <i>YELLOW CAP-STANDARD w/A13 PACKAGE</i>		2875320
N41	Dual Exhaust System,		
S13	Rallye Suspension,		
S25	Firm Ride Shock Absorbers,		
S31	Front Sway Bar,		
22	Radiator-22" Width-Std w/Auto, <i>A-BODY</i>		2949065
	Horsepower: 375hp@4600RPM		
	Torque Lbs. Ft: 480@3200RPM		
	Carburetor: Carter AVS 4BBL #4618S w/Auto & Htr,		
	Compression ratio: 10.1:1		
	Distributor: Single Point Chrysler with Auto		2875758
	Bore & Stroke: 4.32" x 3.75"		
	Fuel Recommended: Premium.		
	Firing Order: 1-8-4-3-6-5-7-2.		
	Spark Plugs: Champion J11Y		
	Engine Color: ORANGE		
	Engine ID: E 440 HP or HP2.		
	<i>Optional on Dart GT Sport.</i>		

CONTINUED

- Firm Ride Shock Absorbers,
 -FT -PAINT MARKINGS: ORANGE 2269947
 -RR EARLY-PAINT MARKINGS: ORANGE 2539001
- H.D. Torsion Bars,
 .89" x 35.8" PAINT MARKINGS: WHITE R-L w/383-440 V8 2539895-4
- H.D. Rear Springs,
 6 Leaf w/4 Clips per Leaf w/383-440 V8. 2835056
 Std w/Dart GTS 383, 440.
 Includes Torque boxes on:
 -1969 Dart GTS w/440.

V8- SPORT STRIPE TAPE 1969 LS23M
 V8X Black GT Sport Bumblebee Sport Stripe,
 Not available with any other stripes or decals.
 Standard on Dart GT Sport.

STD TIRES 1969 LS23M
 T73 E 70 X 14" Red Streak Firestone 440 V8
 T74 E 70 X 14" Whitewall Firestone OPTIONAL

STD "ROAD" WHEELS 1969 LS23M
 14 x 5.5" w/440 V8 Stamped Steel-Painted w/Hubcaps

STD SPARE TIRE/WHEEL 1969 LS23M
 Spare tire is identical to 4 on "Road",
 Spare wheel is identical to 4 on "Road",
 14 x 5.5" - Stamped Steel Spare Wheel,
 Spare Wheel Painted Body Color w/Hubcaps,



Standard on Dart models only. Color-keyed polypropylene with padded horn button. Not available on others.

Standard on GT Sport, GT, Custom models. Color-keyed polypropylene, with color-keyed pad and partial horn ring.



STEERING WHEELS:

Here are the steering wheels that are available on Dart models. Select the wheel you prefer.



Code S78 Optional on all models is this 3-spoke steering wheel with full horn ring and color-keyed pad.

Code S81 Optional on all models is this wood-grained wheel with stainless-steel spider and color-keyed, padded horn button.



HUBCAPS & WHEEL COVERS:

This hubcap is standard on GT Sport, GT, Custom, Swinger, and Dart models.



Code W11 This attractive 13-inch wheel cover is optional on all models.



Code W11 This 14-inch wheel cover is optional on all models when equipped with the 14-inch wheels.



Code W18 This 14-inch simulated mag. wheel cover is optional on all models when they are equipped with 14-inch wheels.

